

Product Information Sheet. Light Sources.

SUPPLIER_NAME_OR_TRADEMARK Sealey EU Ltd.
 DELEGATED_ACT EU/2019/2015
 MODEL_IDENTIFIER LED60110V

Standing Tube Floodlight 360° 60W LED 110V

ADDRESS Farney Street, Carrickmacross, Co. Monaghan, A81 PK68 Ireland
 PHONE_NUMBER 01284 757 500
 EMAIL_ADDRESS TechnicalCompliance@sealey.co.uk

Lighting technology used	LED
Non-directional or directional [NDLS / DLS]	NDLS
Mains or non-mains [MLS / NMLS]	MLS
Connected light source	No
Colour-tuneable light source	No
Envelope	No
High luminance light source	No
Anti-glare shield	No
Dimmable	No

Parameters

Energy consumption in on-mode. W	60
Energy efficiency class	E
Useful luminous flux	7200
Correlated colour temperature rounded to the nearest 100 K	4000
On-mode power. W	60.0
Standby power. W	NA
Networked standby power. W	NA
Colour rendering index	80.000
Height (mm)	880
Width (mm)	18
Depth (mm)	1
Chromaticity coordinates x	0.380
Chromaticity coordinates y	0.380

Parameters. Directional Light Sources.

Peak luminous intensity	NA
Beam angle in degrees, or the range of beam angles that can be set	NA

Parameters. LED OLED Light Sources.

R9 colour rendering index value	-
Survival factor	0.90
The lumen maintenance factor	0.96

Parameters. LED OLED Mains Light Sources.

displacement factor	NA
colour consistency in MacAdam ellipses	NA
Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage	NA
If yes then replacement claim. W	NA
Flicker metric	NA
Stroboscopic effect metric	NA

Suppliers website <https://www.sealey.co.uk/>